

14,000 GVW • 16,000 GVW • 18,000 GVW • 20,000 GVW

# Sprayer Trailer *Pull-Type*

24,000 GVW • 30,000 GVW • 40,000 GVW • 45,000 GVW



16" Adjustable side ramps as on 14,000 GVW & 16,000 GVW



Optional gooseneck and wood deck available



16" Flip-up style outriggers as on 18,000 GVW+



Manufactured by:

BEHNKE ENTERPRISES, INC.  
800 Ninth Ave. NW | Farley, Iowa 52046  
Ph. 563-744-3246 | Fax 563-744-9066  
[www.behnkeenterprises.com](http://www.behnkeenterprises.com)



## Sprayer Trailer

### 14,000 lb. GVW

<b>Main Frame</b>	8" Channel
<b>Capacity</b>	14,000 lb. GVW
<b>Frame Width</b>	48" or 59"
<b>Axle</b>	(2) 7,000 lb. Dexter EZ Lube
<b>Brakes</b>	Both Axles, Electric or Surge
<b>Hitch</b>	Adjustable 2 5/16" Ball, Pin or Pintle Hitch
<b>Jack</b>	Heavy Duty 10,000 lb., Sidewind
<b>Tire</b>	ST235-80R-16E Radial Tires
<b>Wheel</b>	White Spoke
<b>Finish</b>	Powder Coat--Black
<b>Other</b>	DOT Approved Sealed Lighting 16" Adjustable Side Ramps • Reflector Tape Safety Chains • Breakaway Safety Kit Tool Box • Wheel Stops Flip-up Load Ramps • D-ring Tie Downs

### Optional Features

Heavy Duty Fenders (single wheel) • Gooseneck 2 5/16 Coupler • Spare Tire and Wheel • Steel, Wood or Mesh Decking Available

### 16,000 lb. GVW

<b>Main Frame</b>	8" Channel
<b>Capacity</b>	16,000 lb. GVW
<b>Frame Width</b>	48" or 59"
<b>Axle</b>	(2) 8,000 lb. Dexter Oil Bath
<b>Brakes</b>	Both Axles, Electric or Surge
<b>Hitch</b>	Adjustable 2 5/16" Ball, Pin or Pintle Hitch
<b>Jack</b>	Heavy Duty 10,000 lb., Sidewind
<b>Tire</b>	215-75R-17.5 Tire and Wheel
<b>Wheel</b>	OEM Wheels
<b>Finish</b>	Powder Coat--Black
<b>Other</b>	DOT Approved Sealed Lighting 16" Adjustable Side Ramps • Reflector Tape Safety Chains • Breakaway Safety Kit Tool Box • Wheel Stops Flip-up Load Ramps • D-ring Tie Downs

### 18,000 lb. GVW

<b>Main Frame</b>	12" I Beam, 14 lbs.
<b>Capacity</b>	18,000 lb. GVW
<b>Frame Width</b>	45" dual or 59" single
<b>Axle</b>	(2) 9,000 lb. Dexter Oil Bath
<b>Brakes</b>	Both Axles, Electric
<b>Hitch</b>	Adjustable 2 5/16" Ball, Pin or Pintle Hitch
<b>Jack</b>	Heavy Duty 10,000 lb., Sidewind
<b>Tire (Single)</b>	215-75R-17.5 Tire
<b>Tire (Dual)</b>	ST235-80R-16D Tire
<b>Wheel</b>	OEM Wheels
<b>Outriggers</b>	16" Flip-up Style
<b>Finish</b>	Powder Coat--Black
<b>Other</b>	DOT Approved Sealed Lighting 16" Adjustable Side Ramps • Reflector Tape Safety Chains • Breakaway Safety Kit Tool Box • Wheel Stops Flip-up Load Ramps • D-Rings

### Optional Features

Heavy Duty Fenders (dual wheel) • Gooseneck 2 5/16 Coupler • Spare Tire and Wheel • 20" Outrigger Trays • Steel, Wood or Mesh Decking available in frame width or full width

### 20,000 lb. GVW

<b>Main Frame</b>	14" I Beam, 19 lbs.
<b>Capacity</b>	20,000 lb. GVW
<b>Frame Width</b>	45" dual or 59" single
<b>Axle</b>	(2) 10,000 lb. Dexter Oil Bath
<b>Brakes</b>	Electric or Air, Both Axles
<b>Hitch</b>	Adjustable 2 5/16" Ball, Pin or Pintle Hitch
<b>Jack</b>	Heavy Duty 10,000 lb.
<b>Tire (Single)</b>	215-17.5" Radial
<b>Tire (Dual)</b>	ST235-80R-16D Tire
<b>Wheel</b>	OEM Wheels
<b>Outriggers</b>	16" Flip-up Style or 16" Slide-In
<b>Finish</b>	Powder Coat--Black
<b>Other</b>	DOT Approved Sealed Lighting 16" Adjustable Side Ramps • Reflector Tape Safety Chains • Breakaway Safety Kit Tool Box • Wheel Stops Flip-up Load Ramps • D-Rings

### 24,000 lb. GVW

<b>Main Frame</b>	12" I Beam, 22 lbs.
<b>Capacity</b>	24,000 lb. GVW
<b>Frame Width</b>	41"
<b>Axle</b>	(2) 12,000 lb. Dexter Oil Bath
<b>Brakes</b>	Electric or Air, Both Axles
<b>Hitch</b>	Adjustable Pintle Hitch
<b>Jack</b>	Heavy Duty 10,000 lb., Sidewind
<b>Tire (Dual)</b>	ST235-80R-16"E
<b>Wheel</b>	OEM Wheels
<b>Outriggers</b>	16" Flip-up Style
<b>Finish</b>	Powder Coat--Black
<b>Other</b>	DOT Approved Sealed Lighting Reflector Tape • Safety Chains Breakaway Safety Kit • Tool Box Wheel Stops • Flip-up Load Ramps • D-Rings

### Optional Features

Heavy Duty Fenders (dual wheel) • Gooseneck 2 5/16 Coupler • Spare Tire and Wheel • 20" Outrigger Trays • Steel, Wood or Mesh Decking available in frame width or full width

### 30,000 lb. GVW

<b>Main Frame</b>	14" I Beam, 26 lbs.
<b>Capacity</b>	30,000 lb. GVW
<b>Frame Width</b>	41"
<b>Axle</b>	(2) 15,000 lb. Dexter Oil Bath
<b>Brakes</b>	Electric or Air, Both Axles
<b>Hitch</b>	Adjustable Pintle Hitch
<b>Jack</b>	12,000 lb. Dropleg Jack, Sidewind
<b>Tire (Dual)</b>	215-75R-17.5
<b>Wheel</b>	OEM Wheels
<b>Outriggers</b>	16" Flip-up Style
<b>Finish</b>	Powder Coat--Black
<b>Other</b>	DOT Approved Sealed Lighting Reflector Tape • Safety Chains Breakaway Safety Kit • Tool Box Wheel Stops • Flip-up Load Ramps • D-Rings

### 40,000 lb. GVW

<b>Main Frame</b>	16" I Beam, 26 lbs.
<b>Capacity</b>	40,000 lb. GVW
<b>Frame Width</b>	39"
<b>Axle</b>	(1) 20,000 lb. Dexter oil bath axle with anti lock air brakes, automatic slack adjusters and park brake
<b>Axle</b>	(1) 20,000 lb. Dexter oil bath axle with air brakes, automatic slack adjusters and park brake
<b>Brakes</b>	Air
<b>Hitch</b>	Adjustable Pintle Hitch
<b>Jack</b>	12,000 lb. Dropleg Jack, Sidewind
<b>Tire (Dual)</b>	235-75R-17.5
<b>Wheel</b>	17.5 x 6.75 OEM Wheels
<b>Outriggers</b>	16" Flip-up Style
<b>Finish</b>	Powder Coat--Black
<b>Other</b>	DOT Approved Sealed Lighting Reflector Tape • Safety Chains Tool Box • Wheel Stops Flip-up Load Ramps • D-Rings

### Optional Features

Heavy Duty Fenders (dual wheel) • 20" Outrigger Trays • Spare Tire and Wheel • Steel, Mesh or Wood Decking available in frame width or full width

### 45,000 lb. GVW

<b>Main Frame</b>	16" I Beam, 26 lbs.
<b>Capacity</b>	45,000 lb. GVW
<b>Frame Width</b>	39"
<b>Axle</b>	(1) 22,500 lb. Dexter oil bath axle with anti lock air brakes, automatic slack adjusters and park brake
<b>Axle</b>	(1) 22,500 lb. Dexter oil bath axle with air brakes, automatic slack adjusters and park brake
<b>Brakes</b>	Air
<b>Hitch</b>	Adjustable Pintle Hitch
<b>Jack</b>	12,000 lb. Dropleg Jack, Sidewind
<b>Tire (Dual)</b>	255/70R-22.5" Radial
<b>Wheel</b>	22.5 x 8.25" Budd Style Dual Wheel w/ 10 on 11.25"
<b>Outriggers</b>	16" Flip-up Style
<b>Finish</b>	Powder Coat--Black
<b>Other</b>	DOT Approved Sealed Lighting Reflector Tape • Safety Chains Tool Box • Wheel Stops Flip-up Load Ramps • D-Rings

